

HAYDON

**PRODUCT
BROCHURE
MAY 2025**

**EN54 POWER
LAUNCHES
JUNE 25**



CONTENTS

Page 3	Fire - EN54 4 Approved Fire Alarm Power Supplies
Page 4	Fire - Fire Alarm Accessories
Page 5	Access - Access Control
Page 6	Access - 12/24VDC Selectable Power Supplies
Page 7	Access - 24VDC Battery Backup Power Supplies
Page 8	CCTV - 12VDC Multi Output & Rackmount Power Supplies
Page 9	CCTV - 12VDC & 24VAC Inline Power Supplies
Page 10	CCTV - 24VAC Dual Purpose, IP & UPS Power Supplies
Page 11	CCTV - VGA & USB Extenders
Page 12	CCTV - Lockable DVR Enclosures & Document Boxes
Page 13	CCTV - Data Protection
Page 14	CCTV - CCTV Housing & Accessories
Page 15	Intruder - 12VDC Battery Backup Power Supplies
Page 16	Power Accessories - Fuse Boards & Kits
Page 17	Power Accessories - Gel Crimps, Junction Boxes & Cable Ties
Page 18	Connectivity - POE Multi, RJ45 Connector Tubs & V2RJ45TOOLRAP
Page 19	Connectivity - HD Passive, POC and Powered Baluns
Page 20	Connectivity - RJ45 Cat5E, Cat6e Patch Leads
Page 21	Connectivity - RJ45 Cat5E & BNC Patch Leads
Page 22	Connectivity - RJ45 Connectors
Page 23	Connectivity - BNC Connectors
Page 24	Connectivity - RG59 Tools
Page 25	Connectivity - RJ45 Tools & Testers
Page 26	Audio Visual - HDMI Splitters
Page 27	Audio Visual - HDMI V1.4 & V2.0 Leads
Page 28	Audio Visual - HDMI Video Extenders
Page 29	Audio Visual - Audio & Power Connectors
Page 30	Audio Visual - Vesa Monitor Mounts
Page 31	Power Supply Overview
Page 32	Power Supply Overview
Page 33	Index
Page 34	Index
Page 35	Index

EN54-4 APPROVED FIRE ALARM POWER SUPPLIES

Product Code	EN54-4 Approved Fire Alarm Power Supplies
HAY-PSUEN54-1A	24V DC 1A EN54 PSU Small Enclosure
HAY-PSUEN54-2A	24V DC 2A EN54 PSU Small Enclosure
HAY-PSUEN54-2AL	24V DC 2A EN54 PSU Large Enclosure
HAY-PSUEN54-5A	24V DC 5A EN54 PSU Small Enclosure
HAY-PSUEN54-5AL	24V DC 5A EN54 PSU Large Enclosure

F

I

R

E

HAY-PSUEN54-1A




- EN54-4A Approved
- 24V DC 1A Power Supply
- Small Enclosure
- Battery Capacity 2x 7AH Batteries

HAY-PSUEN54-2A



- EN54-4A Approved
- 24V DC 2A Power Supply
- Small Enclosure
- Battery Capacity 2x 7AH Batteries

HAY-PSUEN54-2AL



- EN54-4A Approved
- 24V DC 2A Power Supply
- Large Enclosure
- Battery Capacity 2x 18AH Batteries

HAY-PSUEN54-5A



- EN54-4A Approved
- 24V DC 5A Power Supply
- Small Enclosure
- Battery Capacity 2x 7AH Batteries

HAY-PSUEN54-5AL



- EN54-4A Approved
- 24V DC 5A Power Supply
- Large Enclosure
- Battery Capacity 2x 18AH Batteries



HAYDON

FIRE ALARM ACCESSORIES

Product Code	Fire Alarm Accessories
HAY-FIRE-ISO	Fire Alarm Mains Power Isolation Switch
HAY-FIRE-24R	Fire 24V Relay
HAY-FIRE-DO	Fire Indicator Detector Operated
HAY-FRSH	Fire Shroud Red 10 Pack
HAY-FRG10	Fire Gland Red 10 Pack
HAY-DOCBOX-FR	A4 Metal Document Box for Fire Safety Documents
HAY-SS200	200mm x 4.6mm Stainless Steel Cable Ties
HAY-SS300	300mm x 4.6mm Stainless Steel Cable Ties
HAY-SS350	350mm x 4.6mm Stainless Steel Cable Ties

HAY-FIRE-ISO



- Operating Voltage: 100 - 240V AC
- Switch Contact: Double Pole
- Fuse Rating 230V AC F4A
- 2 Keys supplied

HAY-FIRE-24R



- Operating Voltage: 24V DC +10%
- Relay: Double Pole
- Surface Back Box Supplied

HAY-FIRE-DO



- Operating Voltage: 3VDC or 24VDC
- Fits standard single gang back box: Not supplied

HAY-FRSH / HAY-FRG10



- 21mm Diameter
- 138mm Length
- RAL 3020 Red



- M20 Thread
- 10mm Thread Length
- Fire Rated 94V2
- RAL3020 Red

HAY-DOCBOX-FR



- Document Boxes, Available in White or Red
- Dimensions 314x250x68mm
- 2 Keys supplied

HAY-SS200/SS300/SS350



- Self Locking
- Material: Stainless Steel
- Width: 4.6mm
- Lengths 200mm, 300mm & 350mm
- Pack of 100

F

I

R

E



HAYDON

	Access Control Power Supplies
HAY-ACCESS12/24V8/4A-8W	12/24VDC 8/4 Amp Access Control PSU. Houses 6 Paxton Net2 or ACT Controllers as standard. 8 Switchable outputs via fire relay fuse board
HAY-ACCESS12V5A-4W	12VDC 5 Amp Access Control PSU. Houses 2 x Paxton Net2 controllers as standard. 4 Switchable outputs via fire relay fuse board
	Access Control Accessories
HAY-DL30	30cm Stainless Steel Door Loop
HAY-DL45	45cm Stainless Steel Door Loop
HAY-DL60	60cm Stainless Steel Door Loop
HAY-MAG-STAND	Magnetic Standoffs for use with M3 PCB holes- Pack of 20

HAY-ACCESS12/24V8/4A-8W



- 6 Board Paxton or ACT Power Supply
- 12/24VDC 8/4A power module
- 8 way fire alarm interface fuse board
- Mains fail and auxiliary outputs
- Front and rear tamper
- Battery capacity 1 x 18AH or 2 x 7AH

HAY-ACCESS12V5-4W



- 2 Board Paxton Power Supply
- 12VDC 5A power module
- 4 way fire alarm interface fuse board
- Front and rear tamper
- Battery capacity 1 x 7AH

HAY-DL30



Internal diameter: 8mm

- Cast Aluminium end caps
- Armoured Stainless steel loop for termination inside door and frame
- Surface mount with recessed screws
- Screws included
- Vandal resistant

HAY-DL45



Internal diameter: 10mm

- Cast Aluminium end caps
- Armoured Stainless steel loop for termination inside door and frame
- Surface mount with recessed screws
- Screws included
- Vandal Resistant


HAY-DL60



Internal diameter: 10mm

- Cast Aluminium end caps
- Armoured Stainless steel loop for termination inside door and frame
- Surface mount with recessed screws
- Screws included
- Vandal resistant

HAY-MAG-STAND



- Magnetic Standoffs
- For use with M3 PCB Holes
- Pack of 20

A

C

C

E

S

S



HAYDON

12/24VDC SELECTABLE POWER SUPPLIES

	12/24VDC Selectable Range
HAY-PSU12/24V8/4A-8W	12V or 24VDC Selectable power supply offering 8 or 4 Amps of power with up to 8 Outputs
HAY-PSU12/24V8/4A	12V or 24VDC Selectable power supply offering 8 or 4 Amps of power, one output
HAY-PSU12/24V4/2A	12v or 24VDC Selectable power supply offering 4 or 2 Amps of power, one output
	24V DC Boxed PSU - Transformer Rectifier- Ideal for use with Door Retainers- No Battery Backup
HAY-PSU24V1ASMSP	24V DC 1A Boxed PSU with Fire Alarm Input Relay
HAY-PSU24V2ASMSP	24V DC 2A Boxed PSU with Fire Alarm Input Relay
HAY-PSU24V4ASMSP	24V DC 4A Boxed PSU with Fire Alarm Input Relay

A

C

C

E


S

S



HAYDON

HAY-PSU12/24V8/4A-8W




- 12/24VDC 8/4A selectable power supply
- Single output
- Mains fail and auxiliary outputs
- Front & rear tamper
- Battery capacity 2 x 7AH

HAY-PSU12/24V8/4A



- 12/24VDC 8/4A selectable power supply
- Single output
- Mains fail and auxiliary outputs
- Front & rear tamper
- Battery capacity 2 x 7AH

HAY-PSU12/24V4/2A



- 12/24VDC 4/2A selectable power supply
- Single output
- Mains fail and auxiliary outputs
- Front & rear tamper
- Battery capacity 2 x 7AH

HAY-PSU24V1ASMSP



- 24VDC 1A Power Supply
- Fire relay input to release door retainers
- No battery back up facility

HAY-PSU24V2ASMSP



- 24VDC 2A Power Supply
- Fire relay input to release door retainers
- No battery back up facility

HAY-PSU24V4ASMSP



- 24VDC 4A Power Supply
- Fire relay input to release door retainers
- No battery back up facility

A

C

C

E

S

S

	24VDC Metal Boxed PTC Fused Power Supplies with Battery Backup
HAY-DC24V1ABBLPSU	24VDC 1A PSU with Battery Backup Large Box
HAY-DC24V2ABBLPSU	24VDC 2A PSU with Battery Backup Large Box
HAY-DC24V3ABBLPSU	24VDC 3A PSU with Battery Backup Large Box
HAY-DC24V5ABBLPSU	24VDC 5A PSU with Battery Backup Large Box
HAY-DC24V10ABBLPSU	24VDC 10A PSU with Battery Backup Large Box

HAY-DC24V1ABBLPSU



- 24VDC Boxed Power Supply 1A
- Front and rear tamper
- Battery Capacity 2 x 7AH

HAY-DC24V2ABBLPSU



- 24VDC Boxed Power Supply 2A
- Front and rear tamper
- Battery Capacity 2 x 7AH

HAY-DC24V3ABBLPSU



- 24VDC Boxed Power Supply 3A
- Front and rear tamper
- Battery Capacity 2 x 7AH

HAY-DC24V5ABBLPSU



- 24VDC Boxed Power Supply 5A
- Front and rear tamper
- Battery Capacity 2 x 7AH

HAY-DC24V10ABBLPSU




- 24VDC Boxed Power Supply 10A
- Front and rear tamper
- Battery Capacity 2 x 7AH




	12VDC Metal Boxed Multi-Output PTC Fused CCTV Power Supplies
HAY-PSUMULTI5A	Up to 9 Way 5A replaced 412-4A/412-5A/912-5A
HAY-PSUMULTI10A	Up to 16 Way 10A replaced 412-10A/912-10A/1612-10A
HAY-PSU1612-20A	16 Way Boxed PSU 20 Amp PTC Fuses Surge Protected
	Rack Mount Multi Output PTC Fused CCTV PSU
HAY-RMPSU1612-16A/1U	12VDC 16 Way Rack Mount PSU 16 Amp PTC Fused 1U
HAY-RMPSU1624-16A/2U	24VAC 16 Way Rack Mount PSU 16 Amp PTC Fused 2U

HAY-PSUMULTI5A




- 12VDC 5A Power Supply
- 9 outputs

HAY-PSUMULTI10A



- 12VDC 10A Power Supply
- 9 outputs

HAY-PSU1612-20A



- 12VDC 20A Power Supply
- 16 outputs

HAY-RMPSU1612-16A/1U



- 12V DC 16A Power Supply
- 16 Outputs
- Fits 19" Rack-1U

HAY-RMPSU1624-16A/2U



- 24V AC 16A Power Supply
- 16 Outputs
- Fits 19" Rack-2U

C

C

T

V



12VDC & 24VAC INLINE POWER SUPPLIES

	12VDC Inline Power Supplies
HAY-PSUINLINE1A	12VDC X 1AMP Inline PSU C/W 2.4m Lead and UK Plug
HAY-PSUINLINE2A	12VDC X 2AMP Inline PSU C/W 2.4m Lead and UK Plug
HAY-PSUINLINE3.5A	12VDC X 3.5AMP Inline PSU C/W 3.6m Lead and UK Plug
HAY-PSUINLINE5A	12VDC X 5AMP Inline PSU C/W 3.6m Lead and UK Plug
HAY-PSU-4WAY-SPLIT	4 way Splitter to provide Multi output from Single PSU
	24VAC Inline Power Supplies
HAY-PSUINLINE1A24	Inline 24VAC PSU 1 AMP with UK Plug and 2.1m Jack
HAY-PSUINLINE2A24	Inline 24VAC PSU 2 AMP with UK Plug and 2.1m Jack
HAY-PSUINLINE4A24IP	Inline 24VAC PSU 4 AMP with UK Plug and 2.1m Jack
HAY-PSU-4WAY-SPLIT	4 way Splitter to provide multi output from Single PSU

HAY-PSUINLINE (1A,2A,3.5A,5A)



- 12VDC Inline Power Supplies
- 1A, 2A, 3.5A & 5A
- U K Plug and 2.1mm Jack Plug

HAY-PSUINLINE24 (1A & 2A)



- 24VAC Inline Power Supplies
- 1A & 2A,
- U K Plug and 2.1mm Jack Plug

HAY-PSUINLINE4A24IP



- 24VAC IP Inline Power Supply
- 4A
- U K Plug

HAY-PSU-4WAY-SPLIT



- 4 Way Splitter to provide multi output from single inline power supply



HAYDON

C

C

T

V

24V AC DUAL PURPOSE, IP & UPS CCTV POWER SUPPLIES

Product Code	24V AC Metal Boxed Dual Purpose PTC Fused Power Supplies
HAY-PSU4/1-1/4A24	Dual Purpose - 1 x 4 Amp or 4 x 1 Amp 24 VAC PSU with Surge protection
HAY-PSU4/2-2/4A24	Dual Purpose - 4 x 2 Amp or 2 x 4 Amp 24 VAC PSU with Surge protection
HAY-PSU8/1-1/8A24	Dual Purpose - 8 x 1 Amp or 1 x 8 Amp 24VAC PSU with Surge protection
	IP66 Rated Power Supplies
HAY-PSUIP1X2A 12VDC	12VDC Single Output 2A IP66 Rated PSU
HAY-IP-24VPSU-1X4A	IP66 Rated External PSU 1 X 4A Output 24VAC
	12VDC Boxed Multi Output PTC Fused CCTV PSUs with BB
HAY-UPSPSU1612-10A BB	16CH 10A Camera PSU complete with output for Monitor & DVR Providing UPS Facility for whole system using 2 X 7AH Batteries

HAY-PSU4/1-1/4A24



- 24V AC Dual Output Power supplies
- Output 4 x 1A or 1 x 4A

HAY-PSU4/2-2/4A24



- 24V AC Dual Output Power supplies
- Output 4 x 2A or 2 x 4A

HAY-PSU8/1-1/8A24



- 24V AC Dual Output Power supplies
- Output 8 x 1A or 1 x 8A

HAY-PSUIP1X2A 12VDC



- 12V DC IP66 Power supply
- Output 2A

HAY-IP-24VPSU-1X4A



- 24V AC IP66 Power supply
- Output 4A

HAY-UPSPSU1612-10A BB



- 12V DC 10A UPS Power supply
- Battery Capacity 2 x 7AH batteries
- 16 Outputs

C

C

T

V



HAYDON

VGA & USB EXTENDERS

Product Code	VGA Extender
HAY-VGA	75M Passive VGA Extension BALUN RJ45 over CAT5e
	USB Extender
HAY-USB100M	100M USB Extender
	Ethernet Over Coax
HAY-IPCOAX-EXT	Ethernet Signal Extender over Coax up to 200m
	HD Ground Loop Isolators
HAY-HDGLI	HD Ground Loop Isolator BNC
HAY-HDGLI-UTC	HD Ground Loop Isolator + Supressor for TVI

HAY-VGA



- No Power Supply Needed
- Transmits up to 600ft (VGA 640x 480) over single UTP CAT5e/6 cable

HAY-USB100M



- Support USB1.1 and 2.0 protocol, perfect compatibility
- HAY-USB 100m; USB 2.0 = Full speed up to 100m

HAY-IPCOAX-EXT



- 1-CH IP extender over coax cable
- Transmit Ethernet signal over coax cable
- Transmission distance max up to 200m

HAY-HDGLI



- HD Ground loop Isolator

HAY-HDGLI-UTC



- HD Ground loop Isolator
- Includes Supressor for TVI

C

C

T

V



HAYDON

LOCKABLE DVR ENCLOSURES & DOCUMENT BOXES

	Lockable Metal DVR Enclosures
HAY-LDVR1	Lockable DVR Enclosure
HAY-LDVR1-F	As Above C/W 1 X Fans 12V Inc PSU
HAY-LDVR	Lockable DVR Enclosure
HAY-LDVR-F	As Above C/W 2 X Fans 12V Inc PSU
HAY-LDVR3	Lockable DVR Enclosure with Removable Lid
HAY-LDVR3-F	As Above C/W 2 X Fans 12V Inc PSU
	Lockable Metal DVR Enclosures Spares
HAY-LDVRLOCK	Spare Lock for all Haydon Lockable Enclosures
	Document Boxes
HAY-DOCBOX	A4 Metal Document Box In White
HAY-DOCBOX-FR	A4 Metal Document Box in Red - For Fire Safety Documents

C

C

T

V

HAY-LDVR/HAY-LDVR1



- Front opening
- Vented on three sides for improved airflow
- Easy cable access at rear
- LDVR1-F has 1 x 12v Fan and includes 12v PSU
- LDVR-F has 2 x 12v Fans and includes 12v PSU

HAY-LDVR3



- Front opening with Removable Lid for easy access
- Vented on three sides for improved airflow
- Easy cable access at rear
- LDVR3-F has 2 x 12v Fans and includes 12v PSU

HAY-DOCBOX-FR



- A4 Document Boxes
- Dimensions 314 x 250 x 68mm
- Red for Fire Safety Documents

HAY-DOCBOX



- A4 Document Boxes
- Dimensions 314 x 250 x 68mm
- White



HAYDON

	USB Evidence Kits
HAY-MUSBKT32GB	MASTER 32GB USB KIT FOR SITE
HAY-5USB16GBPK	5 x 16GB USB DRIVES for CCTV Evidence To be used with MUSBKT32GB
	Digital Evidence Download Kits
HAY-DIGIPACK	BUDGET CD DATA DOWNLOAD PACK
HAY-DIGIPACKDVD	BUDGET DVD DATA DOWNLOAD PACK
HAY-DIGITAL LOGBOOK	LOGBOOK FOR DIGITAL SYSTEMS
	CCTV Warning Signs
HAY-WSA4	A4 CCTV WARNING SIGN
HAY-WSA4-V2	A4 CCTV WARNING SIGN VIDEO & AUDIO
HAY-WSA3	A3 CCTV WARNING SIGN
HAY-WSA5	A5 CCTV WARNING SIGN
HAY-WSA5-V2	A5 CCTV WARNING SIGN VIDEO & AUDIO
HAY-WSA5 STICKER	A5 CCTV WARNING SIGN WINDOW STICKERS
HAY-WSA5-V2-STICKER	A5 CCTV WINDOW STICKER VIDEO & AUDIO

HAY-DIGIPACK DVD/CD



- 1X Digital incident logbook – which includes 25 triplicate incident reports 10 Subject access request forms
- 2 x WSA4 Warning signs A4 size
- 1 x Permanent Marker for writing operator's contact details on the signs
- 1 x Security Ink pen (ballpoint) for writing in the incident logbook. Tamper-proof, Waterproof and Fade-proof ink.
- 1 x 32GB USB MASTER DRIVE, this is a grade "A" NAND flash & with high quality SMI controller chip. Fast read & write speeds, manufactured with 20 point ISO certification quality control for every drive. Ten year warranty.
- 1 x A5 Zip Bag Mesh reinforced clear PVC. To keep the USB and Pens safe on site

HAY-5USB16GBPK



- 5 x 16GB USB DRIVES, this is a grade "A" NAND flash & with high quality SMI controller chip. Fast read & write speeds, manufactured with 20 point ISO certification quality control for every drive. Ten year warranty.
- 5 x Tamper Evidence Bags. These are manufactured by the market leader and are fully bar-coded, serial numbered and have a tamper-proof seal. Once closed they can only be opened by cutting open and destroying the bag. They have a tear off strip which will be kept by the site for the audit trail of evidence.
- 1 x Security Ink pen (ballpoint) for writing in the incident logbook. Tamper-proof, Waterproof and Fade-proof ink.
- 1 x A5 Zip Bag Mesh reinforced clear PVC. To keep in USBs and Pen safe on site.

WARNING SIGNS

- Video Only in A3, A4, A5 and A5 sticker
- Audio & Video in A4, A5 and A5 sticker



HAY-DIGIPACK DVD or CD



- 50 x DVD'S or CD's in Protective Pod
- 50 x DVD Cases
- 25 x Evidence Seals
- 1 x CD Marker Pen
- 25 x 3 Part Incident Report Sheets (in book format)
- 10 x Subject Access Request Forms (in back of book)



CCTV HOUSINGS & ACCESSORIES

	Metro CCTV Housings with Heaters
HAY-METRO230V	Fully Cable Managed Housing with 230V Heater
HAY-METRO/LV	Fully Cable Managed Housing with 12/24V Heater
HAY-METRO230 - ARCTIC	Dual High Power 230v Heaters with Neoprene Insulation
	Metro Housing with Built in POE Unit
HAY-METROPOE	Cable Managed 12VDC/24VAC with Splitter providing power for the IP Camera and Power for the Heater
HAY-POESPLIT	POE Splitter


	Metro CCTV Housing Accessories
HAY-METRO-POLEMOUNT	Polemount For Metro Housings to fit Poles 67mm to 127mm & 83mm to 178mm
HAY-METRO-HEATER 230V	Replacement Heater Element and PCB Board for the 230V
HAY-METRO-HEATER LV	Replacement Heater Element and PCB Board for the LV Metro
HAY-METRO-BRACKET	3 Part Replacement Bracket Assembly

HAY- METRO 230V



- Fully Cable Managed Housing
- 230V Heater

HAY-METRO-POLEMOUNT



- Polemount Brackets for Metro Housings
- Will fit poles 67mm - 127mm & 83mm to 178mm

HAY-METRO LV



- Fully Cable Managed Housing
- 12VDC/24VAC Heater

HAY-POESPLIT



- POE Splitter providing power for an IP camera and the Heater



HAYDON

C
C
T
V

12VDC BATTERY BACKUP POWER SUPPLIES

	12VDC Single Output Switch Mode PSUs with 13.8VDC Battery Backup
HAY-PSU12V1ABB	1Amp 12VDC Single Output S/Mode Boxed PSU 13.8V Charging circuit. 7AH BB
HAY-PSU12V2ABB	2Amp 12VDC Single Output S/Mode Boxed PSU 13.8V Charging circuit. 7AH BB
HAY-PSU12V3ABB	3Amp 12VDC Single Output S/Mode Boxed PSU 13.8V Charging circuit. 7AH BB
HAY-PSU12V3ABBL	3Amp 12VDC Single Output S/Mode Boxed PSU 13.8V. 17AH BB Large Box
HAY-PSU12V5ABBL	5Amp 12VDC Single Output S/Mode Boxed PSU 13.8V. 17AH BB Large Box
HAY-2LEDMOD	Dual Flash LED Unit for Bell Boxes
HAY-SPK16T	16 ohm Speaker with Tamper

HAY-PSU12V1ABB



- 12VDC Boxed Power Supply
- 1A
- Small Box
- Front and rear tamper
- Battery Capacity 1 x 7AH

HAY-PSU12V2ABB



- 12VDC Boxed Power Supply
- 2A
- Small Box
- Front and rear tamper
- Battery Capacity 1 x 7AH

HAY-PSU12V3ABB



- 12VDC Boxed Power Supply
- 3A
- Small Box
- Front and rear tamper
- Battery Capacity 1x 7AH

HAY-PSU12V3ABBL /5ABBL



- 12VDC Boxed Power Supply
- 3A or 5A
- Large Box
- Front and rear tamper
- Battery Capacity 1 x 17AH

HAY-2LEDMOD



- DUAL FLASH LED UNIT
- Battery Not Included
- 1 x CR123A Lithium Battery 3V required

HAY-SPK16T



- Internal speaker for use in Intruder systems
- Dimensions 110 x 110 x 55mm
- Sound Level 110±3DB
- Tamper Front and Rear



HAYDON

I
N
T
R
U
D
E
R

	Fuse Boards & Kits
HAY-4WFUSEPCB	Twin option 4 way Fused Distribution Board, PTC Fuse or Glass
HAY-9WFUSEPCB	Twin option 9 way Fused Distribution Board, PTC Fuse or Glass
HAY-MPRACDC-8A	AC DC Universal Relay 9 -30V AC /DC 10.5-36V DC Up to 8A
HAY-AC-DC1ACON	19-29VAC - 12VDC 1 Amp Converter
HAY-RESK	Resistor Kit - 9 Resistors x 30
HAY-FUSEK	FUSE KIT - 18 Fuses x 5

HAY-4WFUSEPCB



- 4 Way Fuse Board
- PTC or Glass Fuse

HAY-9WFUSEPCB



- 4 Way Fuse Board
- PTC or Glass Fuse

HAY-MPRACDC-8A



- AC/DC Multi Purpose Relay 8A

HAY-AC-DC1ACON



- 24VAC to 12VDC Inline Converter 1A

HAY-RESK



- Resistor Kit Contains
- 30 x 470ohms
- 30 x 680ohms
- 30 x 1kohms
- 30 x 2.2kohms
- 30 x 3.9kohms
- 30 x 4.7kohms
- 30 x 6.8kohms
- 30 x 10kohms
- 30 x 20kohms

HAY-FUSEK



- Kit Contains 20mm & 30mm Fuses
- 5 x F500mA • 5 x F10A
- 5 x F1.0A • 5 x T1.0A
- 5 x F1.6A • 5 x T2.0A
- 5 x F2.0A • 5 x T3.15A
- 5 x F2.5A • 5 x T5.0A
- 5 x F3.15A • 5 x F1.0A 30mm
- 5 x F4.0A • 5 x F2.0A 30mm
- 5 x F5.0A • 5 x F5.0A 30mm
- 5 x F6.3A • 5 x F10A 30mm



GEL CRIMPS, JUNCTION BOXES & CABLE TIES

	Gel Crimps / IP65 Junction Boxes / Cable Ties
HAY-UY2	IP RATED GELL FILLED CRIMPS 2 WIRE CON 100 PK, 19-26AWG
HAY-JB100	IP 65 JUNCTION BOX 100X100X50
HAY-JB150	IP 65 JUNCTION BOX 150X110X70
HAY-JB190	IP 65 JUNCTION BOX 190X140X70
HAY-JB240	IP 65 JUNCTION BOX 240X190X90
HAY-JB300	IP 65 JUNCTION BOX 300X220X120
HAY-JB380	IP 65 JUNCTION BOX 380X300X120
HAY-200CT-Bk	200mm Cable Ties in Black
HAY-200CT-NT	200mm Cable Ties in Natural
HAY-300CT-BK	300mm Cable Ties in Black
HAY-300CT-NT	300mm Cable Ties in Natural

HAY-200CT-BK / NT



- 200mm Cable Ties
- Available in Black and Natural

HAY-300CT-BK / NT



- 300mm Cable Ties
- Available in Black and Natural

HAY-UY2



- Applicable wires: 0.4-0.9mm (19-26AWG)
- MAX OD: 2.08mm(0.082")

JUNCTION BOXES



- IP65 Junction Boxes
- In 6 Sizes Listed above

P
O
W
E
R

A
C
C
E
S
O
R
I
E
S



HAYDON

	New Poe Multi
HAY-POE-MULTI	Poe Multiplexer
HAY-POE-MULTI-IP-F	Poe Multiplexer IP66 Rated with Female connectors
	RJ45 Connectors - NOW IN TUBS & NEW Version 2 RAPID CRIMP TOOL
HAY-RJ45CAT5-T100RAP	RJ45 CAT5 Rapid Connectors in Tubs 100Pk
HAY-RJ45CAT5-T100	RJ45 CAT5 Connectors in Tubs 100Pk
HAY-RJ45CAT6-T100RAP	RJ45 CAT5 Rapid Connectors in Tubs 100Pk
HAY-RJ45CAT6-T100	RJ45 CAT6 Connectors in Tubs 100Pk
HAY-V2RJ45TOOLRAP	Version 2 RJ45 Rapid Fit Crimp Tool

HAY-POE-MULTI



- POE - Connects two IP/POE devices to a POE switch or NVR using a single CAT5/6 Cable

HAY-POE-MULTI-IP-F



- POE - Connects two IP/POE devices to a POE switch or NVR using a single CAT5/6 Cable
- IP68 Rated
- Female Connectors

HAY-RJ45CAT5-T100 & RAP



- Available in CAT5 or CAT5RAPID
- Easy Storage TUBS
- 100 per TUB

HAY-RJ45CAT6-T100 & RAP



- Available in CAT6 or CAT6RAPID
- Easy Storage TUBS
- 100 per TUB

HAY-V2RJ45TOOLRAP



- New V2 Rapid Crimp Tool
- Suitable for crimping CAT5e and Cat6 Modular plugs with 8P &6P crimping pins
- For stripping and cutting network cables and telephone lines



	HD POC Balun
HAY-HDVB01POC-PT	HD POC Pigtail Balun with Surge Protection, Transmitter and Receiver Pack
	Budget 5MP Balun
5MPBALUN-PT	SingleChannel Balun up to 5MP, Transmitter and Receiver Pack
	Power & Video Baluns for TVI, CVI & AHD
HAY-HDPVB02TWINPACK	Single Channel Power and Video Balun up to 200M 12VDC Power Twin Pack

HAY-HDVB01POC-PT

- Compatible with all HD-TVI/CVI/AHD/CVBS and HD POC cameras
- Power and video signals transmit over one twist pair cable using POC DVR



5MPBALUN-PT

- HD TVI / CVI 250m 1080P
- AHD/TVI/CVI 200m 5MP
- Surge Protected
- Rapid Fit push terminal

HAY-HDPVB02TWINPACK

- Power & Video Balun
- Up to 200m 12V DC Power



C
O
N
N
E
C
T
I
V
I
T
Y



RJ45 CAT5E, CAT6E PATCH LEADS

Product Code	RJ45 Cat5 and Cat6 Patch Leads
HAY-RJ45GR0.5MCAT5	Grey Cat5 0.5M RJ45 Patch Lead x 5PK
HAY-RJ45RD0.5MCAT5	Red Cat5 0.5M RJ45 Patch Lead X 5PK
HAY-RJ45BL0.5MCAT5	Blue Cat5 0.5M RJ45 Patch Lead X 5PK
HAY-RJ45GR1MCAT5	Grey Cat5 1M RJ45 Patch Lead X 5PK
HAY-RJ45RD1MCAT5	Red Cat5 1M RJ45 Patch Lead X 5PK
HAY-RJ45BL1MCAT5	Blue Cat5 1M RJ45 Patch Lead X 5PK
HAY-RJ45GR2MCAT5	Grey Cat5 2M RJ45 Patch Lead X 5PK
HAY-RJ45RD2MCAT5	Red Cat5 2M RJ45 Patch Lead X 5PK
HAY-RJ45BL2MCAT5	Blue Cat5 2M RJ45 Patch Lead X 5PK
HAY-RJ45GR3MCAT5	Grey Cat5 3M RJ45 Patch Lead X 5PK
HAY-RJ45RD3MCAT5	Red Cat5 3M RJ45 Patch Lead X 5PK
HAY-RJ45BL3MCAT5	Blue Cat5 3M RJ45 Patch Lead X 5PK
HAY-RJ45GR5MCAT5	Grey Cat5 5M RJ45 Patch Lead X 5PK
HAY-RJ45RD5MCAT5	Red Cat5 5M RJ45 Patch Lead X 5PK
HAY-RJ45BL5MCAT5	Blue Cat5 5M RJ45 Patch Lead X 5PK
HAY-RJ45RD0.5MCAT6	Red Cat6 0.5M RJ45 Patch Lead X 5PK
HAY-RJ45BL0.5MCAT6	Blue Cat6 0.5M RJ45 Patch Lead x 5PK
HAY-RJ45RD1MCAT6	Red Cat6 1M RJ45 Patch Lead x 5PK
HAY-RJ45BL1MCAT6	Blue Cat6 1M RJ45 Patch Lead X 5PK
HAY-RJ45RD3MCAT6	Red Cat6 3M RJ45 Patch Lead X 5PK
HAY-RJ45BL3MCAT6	Blue Cat6 3M RJ45 Patch Lead X 5PK

RJ45CAT5



- RJ45 CAT 5 Cable
- Available in 0.5m, 1m, 2m, 3m & 5m
- Colours Red, Blue & Grey
- In Packs of 5

RJ45CAT6



- RJ45 CAT 6 Cable
- Available in 0.5m, 1m & 3m
- Colours Red & Blue
- In Packs of 5

C
O
N
N
E
C
T
I
V
I
T
Y



HAYDON

RJ45 CAT5E & BNC PATCHLEADS

	NEW PE CAT 5e CABLE
HAY-RJ45BLK15MCAT5PE	15M External Grade Cat 5e Black Cable
HAY-RJ45BLK25MCAT5PE	25M External Grade Cat 5e Black Cable
	BNC Patch Leads
HAY-BNC100-5PK	BNC 1M Patch Lead X 5PK
HAY-BNC200-5PK	BNC 2M Patch Lead X 5PK

HAY-RJ45BLK15MCAT5PE



- External Grade Cat 5
15m Cable

HAY-RJ45BLK25MCAT5PE



- External Grade Cat 5
25m Cable

HAY-BNC100-5PK



- 1m BNC Patch Lead
- Pack of 5

HAY-BNC200-5PK



- 2m BNC Patch Lead
- Pack of 5

C
O
N
N
E
C
T
I
V
I
T
Y



RJ45 CONNECTORS

Product Code	Cat 5 / Cat6 Connectors
HAY-RJ45CAT5-50	RJ45 CAT 5 Connector 50 Pack
HAY-RJ45CAT5-T100	RJ45 CAT5 Connector 100 in Tub
HAY-RJ45CAT5-50RAP	RJ45 CAT 5 Connector 50 Pack Rapid
HAY-RJ45CAT5-T100RAP	RJ45 CAT5 Connector 100 in Tub Rapid
HAY-RJ45CAT6-50	RJ45 CAT 6 Connector 50 Pack
HAY-RJ45CAT6-T100	RJ45 CAT6 Connector 100 in Tub
HAY-RJ45CAT6-50RAP	RJ45 CAT 6 Connector 50 Pack Rapid
HAY-RJ45CAT6-T100RAP	RJ45 CAT6 Connector 100 in Tub Rapid
HAY-RJ45COUPLER	RJ45 CAT5/6E Coupler
HAY-RJ45COUPLERSH	Fully Shielded RJ45 CAT5 / 6E Coupler
HAY-RJ45STRAIN50	RJ45 CAT5/6E Strain Relief Boot Grey 50 Pack
HAY-RJ45STRAIN50BLK	RJ45 CAT5/6E Strain Relief Boot Black 50 Pack

HAY-RJ45CAT5 / CAT6



- Available in Cat5 or Cat6
- Rapid or Non Rapid
- Bags of 50 or Tubs of 100

HAY-RJ45COUPLER



- RJ45 Coupler

HAY-RJ45COUPLERSH



- Fully Shielded Coupler

HAY-RJ45STRAIN50 / BLK



- RJ45 Strain Boots available in Grey and Black

C
O
N
N
E
C
T
I
V
I
T
Y



HAYDON

BNC CONNECTORS

	BNC Connectors
HAY-BNCMALECP	RG59 BNC Male Crimp 100PK
HAY-BNCCOUPLER	RG59 75 Ohm BNC Coupler 100PK
HAY-BNCTWIST	RG59 BNC Male Twist On 50PK
HAY-BNCFEMALE	RG59BNC Female Crimp 50PK
HAY-BNCT-M-2F	RG59 BNC T Male To 2 Female 10PK
HAY-BNCT-F-2F	RG59 BNC T Female To 2 Female 10PK
HAY-BNCT-M-2M	RG59 BNC Male To 2 Male 10PK
HAY-BNCBOOT	RG59 BNC Strain Relief Boot 50PK

HAY-BNCMALECP

- BNC Male Crimp
- 100 Pack



HAY-BNCCOUPLER

- BNC Coupler
- 100 Pack



HAY-BNCTWIST

- BNC Twist
- 50 Pack



HAY-BNCFEMALE

- BNC Female Crimp
- 50 Pack



HAY-BNCT-M-2F /F-2F /M-2M

- BNC T PIECE
- Available as
- Male to 2 Female
- Female to 2 Female
- Male to 2 Male
- 10 Pack



HAY-BNCBOOT

- BNC Strain Relief Boot
- 50 Pack



C
O
N
N
E
C
T
I
V
I
T
Y



HAYDON

RG59 TOOLS

	BNC Tools
HAY-RG59CRIMP	RG59 Crimp Tool
HAY-RG59STRIP	RG59 3 Blade Cable Stripper Tool
HAY-RG59CUT	RG59 Cable Cutters
HAY-BNCREM-T	BNC Removal Tool

HAY-RG59CRIMP

- Crimp Tool for BNC



HAY-RG59STRIP

- 3 Blade Stripper Tool for BNC



HAY-RG59CUT

- Cable Cutters for RG59 Cable



HAY-BNCREM-T

- Removal Tool For BNC



C
O
N
N
E
C
T
I
V
I
T
Y



HAYDON

RJ45 TOOLS & TESTERS

	RJ45 Tools & Testers
HAY-RJ45TOOLRAP	RJ45 Rapid Fit Crimp Tool
HAY-V2RJ45TOOLRAP	Version 2 RJ45 Rapid Fit Crimp Tool
HAY-UTPCABLESTRIP	CAT5/6 Cable Stripper
HAY-RJ45TEST	Basic RJ45 Tester
HAY-RJ45TRACK	RJ45 Cable Tracker
HAY-RJ45MULTI	RJ45 Multi Tester
HAY-DC-M	Inline DC VOLT & AMP Meter –DC 5V TO 35V, Current 0.01 TO 7.00A

HAY-RJ45TOORAP



- Crimps and cuts the cable in one action.
- For use with Rapid fit connector in Cat5e (HAY-RJ45CAT5-50R) or Cat6e (HAY-RJ45CAT6- 50R), this allows you to pass the cable through the connector without pre-trimming.
- Can also be used with any standard Cat5e or Cat6e non rapid fit connector

HAY-V2RJ45TOORAP



- Crimps and cuts the cable in one action.
- For use with Rapid fit connector in Cat5e (HAY-RJ45CAT5-50R) or Cat6e (HAY-RJ45CAT6- 50R), this allows you to pass the cable through the connector without pre-trimming.
- Can also be used with any standard Cat5e or Cat6e non rapid fit connector

HAY-UTPCABLESTRIP



- To Strip/Cut Telephone line, Network Cable and other cables (dia. 3.2-9mm)

HAY-RJ45TEST



- Check continuity of RJ11& RJ45 Cable quickly.
- Visible LED status display.

HAY-RJ45TRACK



- 1. Cable Tester for UTP STP RJ45(manual switch)
- Automatic scan for miss wiring, cable order errors, open and short circuit
- Remotely test cable up to 1000 ft in length (remote kit included)
- Judge continuity of the cables or wires
- Track the cables or wires, and diagnose the break point
- Complete with high quality protective case

HAY-RJ45MULTI



- Indicates pair integrity of the cable, measure the length of cable/pair with or without far-end recognizer
- Locates wiring or connection error
- Measure cable length (97% Accuracy) and determines the distance of open circuit and short

HAY-DC-M



- The HAY-DC-M is a Plug and play power meter.
- Designed to test voltage and current of a CCTV Camera.
- Input Voltage: 5 - 35V Input Current: 0.01-7.00Amp
- Test Accuracy: Voltage + 1%, Current + 1%
- Power consumption: <25mA
- Input/Output interface: 2.1mm DC Socket and plug

C
O
N
N
E
C
T
I
V
I
T
Y



HAYDON

HDMI SPLITTERS

Product Code	HDMI Video Splitter
HAY-4KHDMIX2	HDMI Splitter 1 X 2
HAY-4KHDMIX4	HDMI Splitter 1 X 4
HAY-4KHDMIX8	HDMI Splitter 1 X 8
HAY-4KHDMIX16	HDMI Splitter 1 X 16

HAY-4KHDMIX2



- Supports HDMI 1.4b & Full 3D
- Supports input up to 10m AWG26 HDMI Standard Cable length, output up to 15m AWG26 HDMI Standard Cable length
- Supplied with 5V / 1A Adapter

HAY-4KHDMIX4




- Supports HDMI 1.4b & Full 3D
- Supports input up to 10m AWG26 HDMI Standard Cable length, output up to 15m AWG26 HDMI Standard Cable length
- Supplied with 5V / 1A Adapter

HAY-4KHDMIX8



- Supports HDMI 1.4b & Full 3D
- Supports input up to 10m AWG26 HDMI Standard Cable length, output up to 15m AWG26 HDMI Standard Cable length
- Supplied with 5V / 1A Adapter

HAY-4KHDMIX16



- Supports HDMI 1.4b & Full 3D
- Supports input up to 10m AWG26 HDMI Standard Cable length, output up to 15m AWG26 HDMI Standard Cable length
- Supplied with 5V / 1A Adapter

A
U
D
I
O

V
I
S
U
A
L



HAYDON

HDMI V1.4 & V2.0 LEADS

Product Code	V1.4 HDMI Leads -4K at 30Hz
HAY-1M-HDMI	1 METRE HDMI 1.4V 15+1CCS, 30AWG, 4K, 30HZ Gold plated, od6.0mm
HAY-2M-HDMI	2 METRE HDMI 1.4V 15+1CCS, 30AWG, 4K, 30HZ Gold plated, od6.0mm
HAY-3M-HDMI	3 METRE HDMI 1.4V 15+1CCS, 30AWG, 4K, 30HZ Gold plated, od6.0mm
HAY-5M-HDMI	5 METRE HDMI 1.4V 15+1CCS, 30AWG, 4K, 30HZ Gold Plated, od6.0mm
HAY-10M-HDMI	10 METRE HDMI 1.4V 15+1CCS, 30AWG, 4K, 30HZ Gold plated, od6.0mm
	V2 HDMI Leads -4k at 60Hz UHD
HAY-V2HDMI-1.5M	V2.0 HDMI CABLE 1.5M, 4K at 60HZ
HAY-V2HDMI-3M	V2.0 HDMI CABLE 3M, 4K at 60HZ
HAY-V2HDMI-10M	V2.0 HDMI CABLE 10M,4K at 60HZ
HAY-V2HDMI-20M	V2.0 HDMI CABLE 20M, 4K at 60HZ

1.4V HDMI Leads



- Available in 1, 2, 3, 5 and 10m Lengths
- 1.4V 15+1CCS
- 30 AWG
- 4k
- 30HZ Gold Plated

2.0V HDMI Leads



- Available in 1.5, 3, 10 and 20m Lengths
- 2.0V
- 4k @ 60Hz
- Full 18 GBPS Bandwidth
- 1.5m & 3m -30 AWG
- 10m - 28 & 30 AWG
- 20M - 26 & 28 AWG

A
U
D
I
O

V
I
S
U
A
L



HAYDON

	HDMI Video Extenders
HAY-HDMIEXT25	PASSIVE 25M HDMI Extender
HAY-EXT60IRHDMI	60M Video Extender over single CAT5E or CAT6 Cable
HAY-EXT120IRHDMI	120M Video Extender over single CAT5E or CAT6 Cable
HAY-KVM60	60m CAT6 / 40m CAT5 HDMI KVM Extender over Ethernet

HAY-HDMIEXT25



HAY-EXT60IRHDMI



HAY-EXT120IRHDMI



HAY-KVM60



AUDIO & POWER CONNECTORS

Product Code	Audio & Power Connectors
HAY-RCAM-BNCM	RCA Male To BNC Male Connector Pack of 10
HAY-RCAF-BNCF	RCA Female To BNC Female Connector Pack of 10
HAY-RCAM-BNCF	RCA Male To BNC Female Connector Pack of 10
HAY-RCACOUPLER-M2M	RCA Coupler Male To Male Pack of 10
HAY-RCACOUPLER-F2F	RCA Coupler Female TO Female Pack of 10
HAY-RCAM-TERM	RCA Male Screws Pack of 10
HAY-RCAF-TERM	RCA Female Screws Pack of 10

HAY-RCAM-BNCM



- RCA Male to BNC Male Connector
- 10 Pack

HAY-RCAF-BNCF/ HAY-RCAM-BNCF



- RCA Female TO BNC Male Connector
- 10 Pack
- RCA Male TO BNC Female Connector
- 10 Pack

HAY-RCACOUPLER-M2M/ HAY-RCACOUPLER-F2F



- RCA Coupler Male to Male Connector
- 10 Pack
- RCA Coupler Female to Female Connector
- 10 Pack

HAY-RCAM-TERM/HAY-RCAF-TERM



- RCA Male to Screws Connector
- 10 Pack
- RCA Female to Screws Connector
- 10 Pack

Product Code

DC Male or Female - Terminal TO 2.1mm Jack Plug

HAY-DCJACK-MALE

10 Pack of DC Male Jack Plugs

HAY-DCJACK-FEMALE

10 Pack of DC Female Jack Plugs

HAY-DCJACK-MALE



- DC Jack Plug Male Connector
- 10 Pack

HAY-DCJACK-FEMALE



- DC Jack Plug Male Connector
- 10 Pack

A
U
D
I
O

V
I
S
U
A
L



HAYDON

Product Code	Vesa Monitor Mounts
HAY-VESA13-30	13-30" VESA Monitor Bracket 100 X 100
HAY-VESA32-55	32-55" VESA Monitor Bracket 400 X 400
HAY-VESASW1	13-42" VESA Monitor Bracket 200 X 200
HAY-VESASW2	13-42" VESA Monitor Bracket 200 X 200
HAY-VESACEIL	19-37" VESA Monitor Ceiling Bracket MAX 467mm DROP

HAY-VESA13-30




- Tilt Monitor Mount Basic
- 13"- 43" screen with maximum load capacity of 15kg VESA size of 75 x 75 or 100 x 100
- Tilt: 0 to 12 degree
- Distance to wall: 30mm
- Weight: 0.45kg

HAY-VESA32-55




- Large Monitor Mount with Tilt
- 32"- 55" screen with maximum load capacity of 50kg
- No Minimum VESA size up to 400 x 400
- Tilt: -12 to +8 degree
- Weight: 1.7kg

HAY-VESASW1



- Swivel Monitor Mount with Tilt
- 13"- 42" screen with maximum load capacity of 25kg
- VESA size from 75 x 75 up to 200 x 200
- Tilt: -15 to +15 degree
- Swivel -45 to +45 degree

HAY-VESASW2



- Double Swivel Monitor - Mount with Tilt and Extension
- 13"- 42" screen with maximum load capacity of 25kg
- VESA size of 75 x 75 up to 200 x 200
- Tilt: -15 to +15 degree
- Swivel -90 to +90 degree
- Extension 54mm - 382mm
- Weight: 1.38kg

HAY-VESACEIL



- Ceiling Monitor Mount with Tilt
- 19"- 37" screen with maximum load capacity of 25kg
- VESA size of 75 x 75 up to 200 x 200
- Tilt: 0 to +20 degree
- Extension 352mm - 467mm
- Weight: 2.8kg

A
U
D
I
O

V
I
S
U
A
L



Power Supply Overview

Product Code	Page No.	Dimensions (mm)	Weight Kgs
HAY-PSUEN54-1A	3	280 x 345 x 85	3.1
HAY-PSUEN54-2A	3	280 x 345 x 85	3.1
HAY-PSUEN54-5A	3	280 x 345 x 85	3.3
HAY-PSUEN54-2AL	3	415 x 434 x 85	5.0
HAY-PSUEN54-5AL	3	415 x 434 x 85	5.2
HAY-ACCESS12/24V8/4A-8W	5	505 x 445 x 100	8.5
HAY-ACCES12V5A-4W	5	365 x 330 x 85	2.9
HAY-PSU12/24V8/4A-8W	6	330 x 365 x 85	3.5
HAY-PSU12/24V8/4A	6	330 x 365 x 85	3.5
HAY-PSU12/24V4/2A	6	330 x 365 x 85	3.5
HAY-PSUMULTI-5A	8	180 x 165 x 52	1.0
HAY-PSUMULTI10A	8	240 x 205 x 65	1.8
HAY-PSU1612-20A	8	245 x 310 x 70	3.2
HAY-PSUINLINE1A	9	90 x 40 x 32	0.28
HAY-PSUINLINE2A	9	110 x 50 x 30	0.35
HAY-PSUINLINE3.5A	9	120 x 60 x 35	0.37
HAY-PSUINLINE5A	9	120 x 60 x 40	0.40
HAY-PSUINLINE1A24	9	90 x 68 x 59	0.79
HAY-PSUINLINE2A24	9	105 x 93 x 65	1.2
HAY-PSUINILNE4A24IP	9	197 x 122 x 75	2.2
HAY-RMPSU1612-16A/1U	8	480 x 46 x 190	3.0
HAY-RMPSU1624-16A/2U	8	480 x 90 x 190	6.3
HAY-PSUIP1X2A12VDC	10	80 x 150 x 71	0.5

Power Supply Overview

Product Code	Page No.	Dimensions (mm)	Weight Kgs
HAY-IP-24VPSU-1X4A	10	150 X 270 X 89	2.8
HAY-PSU24V1ASMSP	6	200 X 240 75	1.9
HAY-PSU24V2ASMSP	6	200 X 240 X 75	2.0
HAY-PSU24V4ASMSP	6	200 X 240 X 75	2.2
HAY-PSU4/1-1/4A24	10	90 X 205 X 250	3.6
HAY-PSU4/2-2/4A24	10	90 X 205 X 250	3.6
HAY-PSU8/1-1/8A24	10	90 X 205 X 250	4.8
HAY-PSU12V1ABB	15	200 X 240 X 75	1.8
HAY-PSU12V2ABB	15	200 X 240 X 75	1.8
HAY-PSU12V3ABB	15	200 X 240 X 75	1.8
HAY-PSU12V3ABBL	15	360 X 330 X 90	2.9
HAY-PSU12V5ABBL	15	360 X 330 X 90	2.9
HAY-DC24V1ABBLPSU	7	360 X 330 X 90	2.9
HAY-DC24V2ABBLPSU	7	360 X 330 X 90	2.9
HAY-DC24V3ABBLPSU	7	360 X 330 X 90	2.9
HAY-DC24V5ABBLPSU	7	360 X 330 X 90	3.4
HAY-DC24V10ABBLPSU	7	360 X 330 X 90	3.9
HAY-4WFUSEPCB	16	117 X 71	0.1
HAY-9WFUSEPCB	16	115 X 71	0.1
HAY-MPRACDC-8A	16	68 X 50 X 30	.05
HAY-UPSPSU1612-10A BB	10	360 X 330 X 90	5

Product Index

Page	Product Code	Warranty	Page	Product Code	Warranty
19	5MPBALUN-PT	3 years	7	HAY-DC24V1ABBLPSU	3 years
27	HAY-10M-HDMI	12 months	7	HAY-DC24V2ABBLPSU	3 years
27	HAY-1M-HDMI	12 months	7	HAY-DC24V3ABBLPSU	3 years
17	HAY-200CT-Bk	12 months	7	HAY-DC24V5ABBLPSU	3 years
17	HAY-200CT-NT	12 months	29	HAY-DCJACK-FEMALE	3 years
15	HAY-2LEDMOD	3 years	29	HAY-DCJACK-MALE	3 years
27	HAY-2M-HDMI	12 months	25	HAY-DC-M	3 years
17	HAY-300CT-BK	12 months	13	HAY-DIGIPACK	12 months
17	HAY-300CT-NT	12 months	13	HAY-DIGIPACKDVD	12 months
27	HAY-3M-HDMI	12 months	13	HAY-DIGITAL LOGBOOK	12 months
26	HAY-4KHDMIX16	3 years	5	HAY-DL30	12 months
26	HAY-4KHDMIX2	3 years	5	HAY-DL45	12 months
26	HAY-4KHDMIX4	3 years	5	HAY-DL60	12 months
26	HAY-4KHDMIX8	3 years	12	HAY-DOCBOX	12 months
16	HAY-4WFUSEPCB	3 years	4 & 12	HAY-DOCBOX-FR	12 months
27	HAY-5M-HDMI	12 months	28	HAY-EXT120IRHDMI	3 years
13	HAY-5USB16GBPK	12 months	28	HAY-EXT60IRHDMI	3 years
16	HAY-9WFUSEPCB	3 years	4	HAY-FIRE-24R	3 years
5	HAY-ACCESS12/24V8/4A-8W	3 years	4	HAY-FIRE-DO	3 years
5	HAY-ACCESS12V5A-4W	3 years	4	HAY-FIRE-ISO	3 years
16	HAY-AC-DC1ACON	3 years	4	HAY-FRG10	12 months
21	HAY-BNC100-5PK	12 months	4	HAY-FRSH	12 months
21	HAY-BNC200-5PK	12 months	16	HAY-FUSEK	12 months
23	HAY-BNCBOOT	12 months	11	HAY-HDGLI	3 years
23	HAY-BNCCOUPLER	12 months	11	HAY-HDGLI-UTC	3 years
23	HAY-BNCFEMALE	12 months	28	HAY-HDMIEXT25	3 years
23	HAY-BNCMALECP	12 months	19	HAY-HDPVB02TWINPACK	3 years
23	HAY-BNCREM-T	12 months	19	HAY-HDVB01POC-PT	3 years
23	HAY-BNCT-F-2F	12 months	10	HAY-IP-24VPSU-1X4A	3 years
23	HAY-BNCT-M-2F	12 months	11	HAY-IPCOAX-EXT	3 years
23	HAY-BNCT-M-2M	12 months	17	HAY-JB100	12 months
23	HAY-BNCTWIST	12 months	17	HAY-JB150	12 months
7	HAY-DC24V10ABBLPSU	3 years	17	HAY-JB190	12 months

Product Index

Page	Product Code	Warranty	Page	Product Code	Warranty
17	HAY-JB240	12 months	6	HAY-PSU24V1ASMSP	3 years
17	HAY-JB300	12 months	6	HAY-PSU24V2ASMSP	3 years
17	HAY-JB380	12 months	6	HAY-PSU24V4ASMSP	3 years
28	HAY-KVM60	3 years	10	HAY-PSU4/1-1/4A24	3 years
12	HAY-LDVELOCK	12 months	10	HAY-PSU4/2-2/4A24	3 years
12	HAY-LDVR	12 months	9	HAY-PSU-4WAY-SPLIT	12 months
12	HAY-LDVR1	12 months	10	HAY-PSU8/1-1/8A24	3 years
12	HAY-LDVR1-F	12 months	3	HAY-PSUEN54-1A	3 years
12	HAY-LDVR3	12 months	3	HAY-PSUEN54-2A	3 years
12	HAY-LDVR3-F	12 months	3	HAY-PSUEN54-2AL	3 years
12	HAY-LDVR-F	12 months	3	HAY-PSUEN54-5A	3 years
5	HAY-MAG-STAND	12 months	3	HAY-PSUEN54-5AL	3 years
14	HAY-METRO/LV	3 years	9	HAY-PSUINLINE1A	3 years
14	HAY-METRO230 - ARCTIC	3 years	9	HAY-PSUINLINE1A24	3 years
14	HAY-METRO230V	3 years	9	HAY-PSUINLINE2A	3 years
14	HAY-METRO-BRACKET	3 years	9	HAY-PSUINLINE2A24	3 years
14	HAY-METRO-HEATER 230V	3 years	9	HAY-PSUINLINE3.5A	3 years
14	HAY-METRO-HEATER LV	3 years	9	HAY-PSUINLINE4A24IP	3 years
14	HAY-METROPOE	3 years	9	HAY-PSUINLINE5A	3 years
14	HAY-METRO-POLEMOUNT	3 years	9	HAY-PSUIP1X2A 12VDC	3 years
16	HAY-MPRACDC-8A	3 years	8	HAY-PSUMULTI10A	3 years
13	HAY-MUSBKT32GB	12 months	8	HAY-PSUMULTI5A	3 years
18	HAY-POE-MULTI	3 years	29	HAY-RCACOUPLER-F2F	12 months
18	HAY-POE-MULTI-IP-F	3 years	29	HAY-RCACOUPLER-M2M	12 months
14	HAY-POESPLIT	3 years	29	HAY-RCAF-BNCF	12 months
6	HAY-PSU12/24V4/2A	3 years	29	HAY-RCAF-TERM	12 months
6	HAY-PSU12/24V8/4A	3 years	29	HAY-RCAM-BNCF	12 months
6	HAY-PSU12/24V8/4A-8W	3 years	29	HAY-RCAM-BNCM	12 months
15	HAY-PSU12V1ABB	3 years	29	HAY-RCAM-TERM	12 months
15	HAY-PSU12V2ABB	3 years	16	HAY-RESK	12 months
15	HAY-PSU12V3ABB	3 years	24	HAY-RG59CRIMP	12 months
15	HAY-PSU12V3ABBL	3 years	24	HAY-RG59CUT	12 months
15	HAY-PSU12V5ABBL	3 years	24	HAY-RG59STRIP	12 months
8	HAY-PSU1612-20A	3 years	20	HAY-RJ45BL0.5MCAT5	12 months

Product Index

Page	Product Code	Warranty	Page	Product Code	Warranty
20	HAY-RJ45BL0.5MCAT6	12 months	22	HAY-RJ45STRAIN50BLK	12 months
20	HAY-RJ45BL1MCAT5	12 months	25	HAY-RJ45TEST	12 months
20	HAY-RJ45BL1MCAT6	12 months	25	HAY-RJ45TOOLRAP	12 months
20	HAY-RJ45BL2MCAT5	12 months	25	HAY-RJ45TRACK	12 months
20	HAY-RJ45BL3MCAT5	12 months	8	HAY-RMPSU1612-16A/1U	3 years
20	HAY-RJ45BL3MCAT6	12 months	8	HAY-RMPSU1624-16A/2U	3 years
20	HAY-RJ45BL5MCAT5	12 months	15	HAY-SPK16T	12 months
21	HAY-RJ45BLK15MCAT5PE	12 months	4	HAY-SS200	12 months
21	HAY-RJ45BLK25MCAT5PE	12 months	4	HAY-SS300	12 months
22	HAY-RJ45CAT5-50	12 months	4	HAY-SS350	12 months
22	HAY-RJ45CAT5-50RAP	12 months	10	HAY-UPSPSU1612-10A BB	3 years
18 & 22	HAY-RJ45CAT5-T100	12 months	11	HAY-USB100M	3 years
18 & 22	HAY-RJ45CAT5-T100RAP	12 months	25	HAY-UTPCABLESTRIP	12 months
22	HAY-RJ45CAT6-50	12 months	17	HAY-UY2	12 months
22	HAY-RJ45CAT6-50RAP	12 months	27	HAY-V2HDMI-1.5M	12 months
18 & 22	HAY-RJ45CAT6-T100	12 months	27	HAY-V2HDMI-10M	12 months
18 & 22	HAY-RJ45CAT6-T100RAP	12 months	27	HAY-V2HDMI-20M	12 months
22	HAY-RJ45COUPLER	12 months	27	HAY-V2HDMI-3M	12 months
22	HAY-RJ45COUPLERSH	12 months	18 & 25	HAY-V2RJ45TOOLRAP	12 months
20	HAY-RJ45GR0.5MCAT5	12 months	30	HAY-VESA13-30	12 months
20	HAY-RJ45GR1MCAT5	12 months	30	HAY-VESA32-55	12 months
20	HAY-RJ45GR2MCAT5	12 months	30	HAY-VESACEIL	12 months
20	HAY-RJ45GR3MCAT5	12 months	30	HAY-VESASW1	12 months
20	HAY-RJ45GR5MCAT5	12 months	30	HAY-VESASW2	12 months
25	HAY-RJ45MULTI	12 months	11	HAY-VGA	12 months
20	HAY-RJ45RD0.5MCAT5	12 months	13	HAY-WSA3	12 months
20	HAY-RJ45RD0.5MCAT6	12 months	13	HAY-WSA4	12 months
20	HAY-RJ45RD1MCAT5	12 months	13	HAY-WSA4-V2	12 months
20	HAY-RJ45RD1MCAT6	12 months	13	HAY-WSA5	12 months
20	HAY-RJ45RD2MCAT5	12 months	13	HAY-WSA5 STICKER	12 months
20	HAY-RJ45RD3MCAT5	12 months	13	HAY-WSA5-V2	12 months
20	HAY-RJ45RD3MCAT6	12 months	13	HAY-WSA5-V2-STICKER	12 months
20	HAY-RJ45RD5MCAT5	12 months			
22	HAY-RJ45STRAIN50	12 months			

HAYDON



Haydon Marketing Limited
Unit 3, The Furlong
Berry Hill Industrial Estate
Droitwich, Worcestershire
WR9 9AH United Kingdom



enquiries@haydonmarketing.com



www.haydonmarketing.com



0044 (0)1905 772222